




[Griffe]
Tubone
Design Andrea Crosetta
informazioni tecniche
technical details
données techniques
technische Daten
informaciones técnicas
Page 68-69





TUBONE - V

design Andrea Crosetta



A* cm	in	B* cm	in	I* cm	in	art*	BTU Δt 50°	watt Δt 50°
verticale / vertical / verticale / vertikal / vertical								
150.0	59.1	21.0	8.3	5.0	2.0	TB00SV15001	1 106	324
150.0	59.1	44.0	17.3	5.0	2.0	TB00SV15002	2 212	648
150.0	59.1	67.0	26.4	5.0	2.0	TB00SV15003	3 317	972
170.0	66.9	21.0	8.3	5.0	2.0	TB00SV17001	1 253	367
170.0	66.9	44.0	17.3	5.0	2.0	TB00SV17002	2 505	734
170.0	66.9	67.0	26.4	5.0	2.0	TB00SV17003	3 758	1 101
200.0	78.7	21.0	8.3	5.0	2.0	TB00SV20001	1 474	432
200.0	78.7	44.0	17.3	5.0	2.0	TB00SV20002	2 949	864
200.0	78.7	67.0	26.4	5.0	2.0	TB00SV20003	4 423	1 296
verticale sovrapposto / vertical overlapped / verticale superposé / übereinander stehen / vertical sobrepuesto								
150.0	59.1	21.0	8.3	5.0	2.0	TB00DV15001B	1 675	491
170.0	66.9	21.0	8.3	5.0	2.0	TB00DV17001B	1 927	565
200.0	78.7	21.0	8.3	5.0	2.0	TB00DV20001B	2 234	655
Specchio / Mirror / Miroir / Spiegel / Espejo								

A* = altezza / height / hauteur / Höhe / alto B* = larghezza / width / longueur / Breite / ancho art* = articolo / model / modèle / Artikel / artículo P* = pagina / page / page / Seite / página
I* = interasse / pipe centres / distance entre depart et retour / Achsabstand / distancia entre las conexiones



Ulteriori dettagli
Further details
Ulérieures détails
Weitere Einzelheiten
Otros detalles


P* 148

Colori/ colours / couleurs / Farbe / colores

[BIAN] B standard
T + 10%
S + 20%
[RAL] S + 20%
RAL non inclusi in tabella
special Ral colours
couleurs Ral spéciales
RAL Farbe nicht in der Tabelle inbegriffen
colores RAL especiales

Kcal = Watt x 0,860
BTU = Watt x 3,413

Watt Δt 60° = Watt Δt 50° x 1,251
Watt Δt 40° = Watt Δt 50° x 0,760
Watt Δt 30° = Watt Δt 50° x 0,534
Watt Δt 20° = Watt Δt 50° x 0,325



A* cm	in	B* cm	in	l* cm	in	art*	BTU Δt 50°	watt Δt 50°
orizzontale / horizontal / horizontale / horizontal / horizontal								
150.0	59.1	21.0	8.3	5.0	2.0	TB00SO15001B	1 242	364
150.0	59.1	44.0	17.3	5.0	2.0	TB00SO15002B	2 485	728
150.0	59.1	67.0	26.4	5.0	2.0	TB00SO15003B	3 727	1 092
170.0	66.9	21.0	8.3	5.0	2.0	TB00SO17001B	1 407	412
170.0	66.9	44.0	17.3	5.0	2.0	TB00SO17002B	2 815	825
170.0	66.9	67.0	26.4	5.0	2.0	TB00SO17003B	4 222	1 237
200.0	78.7	21.0	8.3	5.0	2.0	TB00SO20001B	1 657	485
200.0	78.7	44.0	17.3	5.0	2.0	TB00SO20002B	3 313	971
200.0	78.7	67.0	26.4	5.0	2.0	TB00SO20003B	4 970	1 456

orizzontale sovrapposto / horizontal overlapped / horizontale superposé / übereinander liegen / horizontal sobrepuesto								
150.0	59.1	21.0	8.3	5.0	2.0	TB00DO15001B	1 854	543
170.0	66.9	21.0	8.3	5.0	2.0	TB00DO17001B	2 101	615
200.0	78.7	21.0	8.3	5.0	2.0	TB00DO20001B	2 473	724

orizzontale sovrapposto a pavimento / horizontal on the floor overlapped / horizontale superposé à plancher / Auf den Boden übereinander liegen / horizontal sobrepuesto en el suelo								
150.0	59.1	21.0	8.3	5.0	2.0	TB00PO15001B	1 854	543
170.0	66.9	21.0	8.3	5.0	2.0	TB00PO17001B	2 101	615
200.0	78.7	21.0	8.3	5.0	2.0	TB00PO20001B	2 473	724

A* = altezza / height / hauteur / Höhe / alto B* = larghezza / width / longueur / Breite / ancho art* = articolo / model / modèle / Artikel / artículo P* = pagina / page / page / Seite / página
 l* = interasse / pipe centres / distance entre départ et retour / Achsabstand / distancia entre las conexiones

Kcal = Watt x 0,860
 BTU = Watt x 3,413

Watt Δt 60° = Watt Δt 50° x 1,251
 Watt Δt 40° = Watt Δt 50° x 0,760
 Watt Δt 30° = Watt Δt 50° x 0,534
 Watt Δt 20° = Watt Δt 50° x 0,325

Colori / colours / couleurs / Farbe / colores

[BIAN] B standard
 T + 10%
 S + 20%
 [RAL] S + 20%
 RAL non inclusi in tabella
 special Ral colours
 couleurs Ral spéciales
 RAL Farbe nicht in der Tabelle inbegriffen
 colores RAL especiales

Ulteriori dettagli
 Further details
 Ulérieures détails
 Weitere Einzelheiten
 Otros detalles



P* 148